

BEHAM Preisliste_Stirnrad.xls

Bezeichnung	EUR p. St.
STR m=1.0 b=15 Z=12	5,50
STR m=1.0 b=15 Z=13	5,71
STR m=1.0 b=15 Z=14	5,93
STR m=1.0 b=15 Z=15	6,05
STR m=1.0 b=15 Z=16	6,27
STR m=1.0 b=15 Z=17	6,49
STR m=1.0 b=15 Z=18	6,66
STR m=1.0 b=15 Z=19	6,75
STR m=1.0 b=15 Z=20	7,00
STR m=1.0 b=15 Z=21	7,10
STR m=1.0 b=15 Z=22	7,24
STR m=1.0 b=15 Z=23	7,32
STR m=1.0 b=15 Z=24	7,43
STR m=1.0 b=15 Z=25	7,57
STR m=1.0 b=15 Z=26	7,77
STR m=1.0 b=15 Z=27	7,99
STR m=1.0 b=15 Z=28	8,16
STR m=1.0 b=15 Z=29	9,34
STR m=1.0 b=15 Z=30	8,61
STR m=1.0 b=15 Z=31	9,79
STR m=1.0 b=15 Z=32	9,01
STR m=1.0 b=15 Z=33	9,34
STR m=1.0 b=15 Z=34	9,58
STR m=1.0 b=15 Z=12	5,50
STR m=1.0 b=15 Z=13	5,71
STR m=1.0 b=15 Z=14	5,93
STR m=1.0 b=15 Z=15	6,05
STR m=1.0 b=15 Z=16	6,27
STR m=1.0 b=15 Z=17	6,49
STR m=1.0 b=15 Z=18	6,66
STR m=1.0 b=15 Z=19	6,75
STR m=1.0 b=15 Z=20	7,00
STR m=1.0 b=15 Z=21	7,10
STR m=1.0 b=15 Z=22	7,24
STR m=1.0 b=15 Z=23	7,32
STR m=1.0 b=15 Z=24	7,43
STR m=1.0 b=15 Z=25	7,57
STR m=1.0 b=15 Z=26	7,77
STR m=1.0 b=15 Z=27	7,99
STR m=1.0 b=15 Z=28	8,16
STR m=1.0 b=15 Z=29	9,34
STR m=1.0 b=15 Z=30	8,61
STR m=1.0 b=15 Z=31	9,79
STR m=1.0 b=15 Z=32	9,01
STR m=1.0 b=15 Z=33	9,34

Bezeichnung	EUR p. St.
STR m=1.0 b=15 Z=34	9,58
STR m=1.0 b=15 Z=35	9,71
STR m=1.0 b=15 Z=36	10,11
STR m=1.0 b=15 Z=37	11,53
STR m=1.0 b=15 Z=38	10,86
STR m=1.0 b=15 Z=39	12,30
STR m=1.0 b=15 Z=40	11,31
STR m=1.0 b=15 Z=56	16,54
STR m=1.0 b=15 Z=60	17,57
STR m=1.5 b=17 Z=12	6,61
STR m=1.5 b=17 Z=13	6,89
STR m=1.5 b=17 Z=14	7,10
STR m=1.5 b=17 Z=15	7,28
STR m=1.5 b=17 Z=16	7,72
STR m=1.5 b=17 Z=17	7,99
STR m=1.5 b=17 Z=18	8,27
STR m=1.5 b=17 Z=19	8,45
STR m=1.5 b=17 Z=20	8,73
STR m=1.5 b=17 Z=21	9,02
STR m=1.5 b=17 Z=22	9,34
STR m=1.5 b=17 Z=23	9,44
STR m=1.5 b=17 Z=24	9,71
STR m=1.5 b=17 Z=25	10,07
STR m=1.5 b=17 Z=26	10,29
STR m=1.5 b=17 Z=27	10,85
STR m=1.5 b=17 Z=28	11,13
STR m=1.5 b=17 Z=29	12,51
STR m=1.5 b=17 Z=30	11,84
STR m=1.5 b=17 Z=31	13,54
STR m=1.5 b=17 Z=32	12,76
STR m=1.5 b=17 Z=34	16,01
STR m=1.5 b=17 Z=35	16,32
STR m=1.5 b=17 Z=36	16,89
STR m=1.5 b=17 Z=37	19,48
STR m=1.5 b=17 Z=38	18,02
STR m=1.5 b=17 Z=39	20,67
STR m=1.5 b=17 Z=40	16,45
STR m=2.0 b=20 Z=12	8,73
STR m=2.0 b=20 Z=13	9,17
STR m=2.0 b=20 Z=14	9,68
STR m=2.0 b=20 Z=15	10,07
STR m=2.0 b=20 Z=16	10,78
STR m=2.0 b=20 Z=17	11,31
STR m=2.0 b=20 Z=18	11,97
STR m=2.0 b=20 Z=19	12,42

BEHAM Preisliste_Stirnrad.xls

Bezeichnung	EUR p. St.
STR m=2.0 b=20 Z=20	12,97
STR m=2.0 b=20 Z=21	13,54
STR m=2.0 b=20 Z=22	14,22
STR m=2.0 b=20 Z=23	14,76
STR m=2.0 b=20 Z=24	15,77
STR m=2.0 b=20 Z=25	16,21
STR m=2.0 b=20 Z=26	16,32
STR m=2.0 b=20 Z=27	16,78
STR m=2.0 b=20 Z=28	17,45
STR m=2.0 b=20 Z=29	19,57
STR m=2.0 b=20 Z=30	18,45
STR m=2.0 b=20 Z=31	21,35
STR m=2.0 b=20 Z=32	19,99
STR m=2.0 b=20 Z=33	20,81
STR m=2.0 b=20 Z=34	21,47
STR m=2.0 b=20 Z=35	22,48
STR m=2.0 b=20 Z=36	22,95
STR m=2.0 b=20 Z=37	26,39
STR m=2.0 b=20 Z=38	24,48
STR m=2.0 b=20 Z=39	28,08
STR m=2.0 b=20 Z=40	26,05
STR m=2.0 b=20 Z=45	30,64
STR m=2.5 b=25 Z=12	10,68
STR m=2.5 b=25 Z=13	11,63
STR m=2.5 b=25 Z=14	12,63
STR m=2.5 b=25 Z=15	13,42
STR m=2.5 b=25 Z=16	14,42
STR m=2.5 b=25 Z=17	16,54
STR m=2.5 b=25 Z=18	16,32
STR m=2.5 b=25 Z=19	16,89
STR m=2.5 b=25 Z=20	17,68
STR m=2.5 b=25 Z=21	19,33
STR m=2.5 b=25 Z=22	20,24
STR m=2.5 b=25 Z=23	21,35
STR m=2.5 b=25 Z=24	19,80
STR m=2.5 b=25 Z=25	23,38
STR m=2.5 b=25 Z=26	24,48
STR m=2.5 b=25 Z=27	25,28
STR m=2.5 b=25 Z=28	25,86
STR m=2.5 b=25 Z=29	29,63
STR m=2.5 b=25 Z=30	27,84
STR m=2.5 b=25 Z=31	31,87
STR m=2.5 b=25 Z=32	29,95
STR m=2.5 b=25 Z=33	31,00
STR m=2.5 b=25 Z=34	31,76

Bezeichnung	EUR p. St.
STR m=2.5 b=25 Z=35	32,66
STR m=2.5 b=25 Z=36	34,00
STR m=2.5 b=25 Z=37	38,90
STR m=2.5 b=25 Z=38	36,78
STR m=2.5 b=25 Z=39	41,59
STR m=2.5 b=25 Z=40	39,15
STR m=2.5 B=25 Z=60	66,76
STR m=3.0 b=30 Z=12	15,77
STR m=3.0 b=30 Z=13	17,11
STR m=3.0 b=30 Z=14	18,81
STR m=3.0 b=30 Z=15	18,33
STR m=3.0 b=30 Z=16	19,67
STR m=3.0 b=30 Z=17	21,14
STR m=3.0 b=30 Z=18	22,48
STR m=3.0 b=30 Z=19	23,80
STR m=3.0 b=30 Z=20	24,48
STR m=3.0 b=30 Z=21	26,17
STR m=3.0 b=30 Z=22	27,63
STR m=3.0 b=30 Z=23	29,19
STR m=3.0 b=30 Z=24	30,76
STR m=3.0 b=30 Z=25	32,10
STR m=3.0 b=30 Z=26	33,42
STR m=3.0 b=30 Z=27	34,56
STR m=3.0 b=30 Z=28	35,81
STR m=3.0 b=30 Z=29	41,02
STR m=3.0 b=30 Z=30	38,48
STR m=3.0 b=30 Z=31	44,04
STR m=3.0 b=30 Z=32	41,59
STR m=3.0 b=30 Z=33	42,94
STR m=3.0 b=30 Z=34	44,72
STR m=3.0 b=30 Z=35	46,19
STR m=3.0 b=30 Z=36	48,20
STR m=3.0 b=30 Z=37	54,91
STR m=3.0 b=30 Z=38	51,77
STR m=3.0 b=30 Z=39	59,04
STR m=3.0 b=30 Z=40	55,50
STR m=3.0 b=30 Z=45	65,19
STR m=3.0 b=30 Z=46	67,21
STR m=4.0 b=40 z=12	26,39
STR m=4.0 b=40 z=13	28,97
STR m=4.0 b=40 z=14	30,86
STR m=4.0 b=40 Z=15	32,99
STR m=4.0 b=40 Z=16	30,54
STR m=4.0 b=40 Z=17	32,99
STR m=4.0 b=40 Z=18	35,01

BEHAM Preisliste_Stirnrad.xls

Bezeichnung	EUR p. St.
STR m=4.0 b=40 Z=19	36,67
STR m=4.0 b=40 Z=20	38,23
STR m=4.0 b=40 Z=21	40,26
STR m=4.0 b=40 Z=22	42,74
STR m=4.0 b=40 Z=23	45,52
STR m=4.0 b=40 Z=24	48,31
STR m=4.0 b=40 Z=25	50,67
STR m=4.0 b=40 Z=26	53,13
STR m=4.0 b=40 Z=27	55,57
STR m=4.0 b=40 Z=28	58,16
STR m=4.0 b=40 Z=29	66,99
STR m=4.0 b=40 Z=30	63,10
STR m=4.0 b=40 Z=31	72,70
STR m=4.0 b=40 Z=32	68,21
STR m=4.0 b=40 Z=33	71,35
STR m=4.0 b=40 Z=34	73,91
STR m=4.0 b=40 Z=35	77,28
STR m=4.0 b=40 Z=36	79,62
STR m=4.0 b=40 Z=37	83,88
STR m=4.0 b=40 Z=38	88,33
STR m=4.0 b=40 Z=39	92,82
STR m=4.0 b=40 Z=40	97,28
STR m=5.0 b=50 Z=12	38,59
STR m=5.0 b=50 Z=13	45,61
STR m=5.0 b=50 Z=14	52,79
STR m=5.0 b=50 Z=15	59,62
STR m=5.0 b=50 Z=16	56,24
STR m=5.0 b=50 Z=17	59,62
STR m=5.0 b=50 Z=18	63,10
STR m=5.0 b=50 Z=19	66,32
STR m=5.0 b=50 Z=20	69,42
STR m=5.0 b=50 Z=21	74,80
STR m=5.0 b=50 Z=22	79,62
STR m=5.0 b=50 Z=23	84,76
STR m=5.0 b=50 Z=24 NL=75	90,46
STR m=5.0 b=50 Z=25 NL=75	97,08
STR m=5.0 b=50 Z=26	100,98
STR m=5.0 b=50 Z=27	107,81
STR m=5.0 b=50 Z=28 NL=70	115,19
STR m=5.0 b=50 Z=29	134,17
STR m=5.0 b=50 Z=30	129,72
STR m=6.0 b=60 Z=12	74,13
STR m=6.0 b=60 Z=13	81,29
STR m=6.0 b=60 Z=14 NL=75	87,11
STR m=6.0 b=60 Z=15	92,36

Bezeichnung	EUR p. St.
STR m=6.0 b=60 Z=16	100,42
STR m=6.0 b=60 Z=17 NL=75	106,48
STR m=6.0 b=60 Z=18 NL=75	112,39
STR m=6.0 b=60 Z=19 NL=75	124,14
STR m=6.0 b=60 Z=19 NL=80	124,14
STR m=6.0 b=60 Z=20 NL=75	130,83
STR m=6.0 b=60 Z=21 NL=75	139,80
STR m=6.0 b=60 Z=22	147,60
STR m=6.0 b=60 Z=23	155,45
STR m=6.0 b=60 Z=24	163,25
STR m=6.0 b=60 Z=25	180,03